

Cable Accessories(AB & UG Cable)

Sl. No.	Name of the firm	Approved Materials	Valid upto	O.M.No.Date	Revalidated upto
1	M/s Saran Insulators Private Limited., Plot No:39A, KIADB, Hirehalli Industrial Area, Tumkur-572 168 (Ph No: 9448373611, E-mail : saranins.gm@gmail.com slinele.gm@gmail.com)	Universal/Eye Hook	20.06.2022	GM(QS&S)/DGM-4/BC-11/17-18/CYS-162 dtd: 04.10.2017 (Subject to revalidation every year)	17.06.2021 GM(QS&S)/DGM-3/BC-11/20-21 CYS-43 dtd: 18.06.2020
		Piercing Connector			
		Suspension Clamp			
		Anchoring Clamp Dead end Clamp			
2	M/s Multi pressings, PB No: 27075, # 54/C, Newly formed Road, K.S Garden, 4th cross, Lalbagh Road, Bangalore- 560027 (Contact No: 9448057430, 9980757430) (E-multishrinkworks@gmail.com, multishrinkkit.info@gmail.com)	Heat Shrink Joint & terminations, 11KV XLPE UG cable accessories 3C x 95 sqmm, 3C x 240sq mm & 3C x 400sqmm, XLPE Cable accessories a.Heat shrinkable indoor/outdoor terminations b.Heat shrinkable straight through/transition joints	17.07.2021	GM(QS&S)/DGM-4/BC-11/20-21/CYS-61 dtd:20.07.2020	
		Chemical Earthing Electrode	17.07.2021		
		Aluminium & copper lugs			
		Brass Cable Glands			
		Suspension clamp			
		Dead end clamp			
		Pole clamp			
		Eye hook			
		T connectors			
		Piercing connectors			
ABC Distribution Box for 6 way connection					
3	M/s Yamuna cable accessories (P) Ltd., Sardana nagar, Ambala Road, Jagadhri,Yamuna nagar- 135003, Haryana	Heat Shrinkable Jointing & termination kit for 1.1KV XLPE cable.	08.11.2021	GM(QS&S)/DGM-3/BC-11/20-21/CYS-165 dtd:10.11.2020	05.02.2023 GM(QS&S)/DGM-3/BC-11/20-21/CYS-244 dtd:12.02.2021
		3C x 95sq mm, 3CX240sqmm, 3C x 400sq mm HT XLPE UG cable accessories: a)Heat Shrinkable indoor/outdoor terminations. b)Heat Shrinkable straight through /transition joints	05.02.2023	GM(QS&S)/DGM-3/BC-11/18-19/CYS-91 dtd: 21.08.2018 (Subject to revalidation every year)	
4	M/s Sankhla Vinyl Pvt Ltd., #126, 7th Main, 3rd phase, Peenya Industrial Area, Bangalore - 560058	11kV, 3CX95sqmm,3X240sqmm & 3X400sqmm HT XLPE UG cable accessories: a) Heat Shrinkable indoor/outdoor terminations. b) Heat Shrinkable straight through /transition joints	02.05.2023	GM(QS&S)/DGM-3/BC-11/18-19/CYS- 167 dtd: 07.01.2019 (Subject to revalidation every year)	28.10.2021 GM(QS&S)/DGM-3/BC-11/20-21/CYS-149 dtd:29.10.2020
		Accessories mounted on 11kV XLPE UG cable: Stress control tube, Insulating tube and anti tracking tube used for heat shrink outdoor terminations, Indoor terminations and straight through joint	21.03.2023		

5	M/s 3M Electro & communication India Pvt Ltd., 145, Mumbai- Pune Road, Pimpri, Pune-411018 (Registered Office: No.95, (Plot No:95-97), Sanniyasikuppam, Udhaya Nagar, Thirunhuvanai Main Road, Thirubhuvanai PO, Puducherry - 605107) Contact No: 9180 22231414	3CX95sqmm, XLPE cable accessories: a) Heat Shrinkable indoor/outdoor terminations. b) Heat Shrinkable straight through /transition joints 3CX240sqmm, XLPE cable accessories: a) Heat Shrinkable indoor/outdoor terminations. b) Heat Shrinkable straight through /transition joints 3CX400sqmm, XLPE cable accessories: a) Heat Shrinkable indoor/outdoor terminations. b) Heat Shrinkable straight through /transition joints	18.12.2023	GM(QS&S)/DGM-3/BC-11/18-19/CYS- 204 dtd: 02.03.2019 (Subject to revalidation every year)	06.11.2022 GM(QS&S)/DGM-3/BC-11/20-21/CYS-161 dtd:09.11.2020
6	M/s Mega Powerline(India), #2/3, SRS Market, 2nd floor, V.S Lane, Chickpet, Bangalore Contact No: 9343881685, 9740787358 E-mail:megapowerline@gmail.com	Accessories for ABC Cables as per NF-33, as per IS- 13573 for Joints & Terminations 11kV, AB Cable Straight thru Joint Kit suitable for 95 sq mm 11kV, AB Cable Straight thru Joint Kit suitable for 120 sq mm 11kV ABC Termination kit 95-120sq mm	11.10.2022	GM(QS&S)/DGM-3/BC-11/18-19/CYS- 210 dtd: 12.03.2019 (Subject to revalidation every year)	
7	M/s SICAME India Connectors Pvt Ltd., S.No: 473/1(part), #96, Sirunkundram Village post, Chegalpet Taluk, Kanchipuram Dist-603108, Tamilnadu Contact No: 91-44-27410200	LT/AB cable accessories Insulating piercing connectors. Anchoring clamp /Dead end clamp assembly Suspension clamp/Tension clamp assembly Stainless steel strap with Buckle Junction sleeves (Mid span Joints) Three phase LT AB cable distribution box for 5 & 6 connection and Single phase LT AB cable distribution box for 20 & 10 connections	09.02.2023	GM(QS&S)/DGM-3/BC-11/20-21/CYS-243 dtd:10.02.2021	
8	M/s Raychem RPG(P) Ltd., No.37/7, Ground Floor, Aga Abbas Ali Road, Off Halasur Road, Bangalore-560 042 (Ph No: 9180-40676666, F-9180-25586039, www.raychemrpg.com)	Heat Shrinkable Joint & terminations, 1.1KV XLPE cable accessories 11kV, Jointing & cable termination kit as per IS - 13573 3CX95sqmm,3CX240sqmm, 3CX400sqmm, 11kV XLPE UG cable Accessories a. Heat shrinkable indoor/ outdoor terminations b. Heat shrinkable straight through/ Transition joints LT & HT AB Cable Accessories Insulating piercing connectors. Anchoring clamps (Dead end) assembly for bare/insulated wire Suspension clamp assembly Pre-insulated lugs/ferrules Steel strap & Buckles Eye Hook type A & B (Suitable for ABC fittings) Insulating line cover Cable end caps	06.06.2022 28.01.2024	GM(QS&S)/DGM-3/BC-11/19-20/CYS- 117 dtd: 20.09.2019 (Subject to revalidation every year) GM(QS&S)/DGM-3/BC-11/20-21/CYS-234 dtd:29.01.2021	06.06.2022 GM(QS&S)/DGM-3/BC-11/20-21/CYS-166 dtd:11.11.2020
9	M/s Western Cablex Engineering Pvt Ltd 202, Universal Industrial Estate, J.P. Road, Andheri West, Mumbai - 400058 Ph No: 91 22 26358098, E-mail: info@wcablex.com, wcablex@gmail.com Factory Unit: No.7, Silver Industrial Estate, Bhimore, Nani Daman 396210.	Heat Shrinkable Joint & terminations, 1.1KV XLPE cable accessories 11kV, Jointing & cable termination kit as per IS - 13573 3CX95sqmm, 3CX240sqmm, 3CX400sqmm 11kV XLPE UG cable Accessories a. Heat shrinkable indoor/ outdoor terminations b. Heat shrinkable straight through/ Transition joints	13.10.2021 27.03.2024	GM(QS&S)/DGM-3/BC-11/19-20/CYS-156 dtd:18.11.2019 (Subject to revalidation every year)	
10	M/s SGP Industries, Madapatna, Near Vinayaka Engg Works, Harragadde post, Jigani hobli, Anekal Taluk, Bangalore - 560105 (Mob: 9591075579, 8050777535, 8951892319) E-mail:sgp_indl@rediffmail.com	Accessories for ABC cables • Suspension clamp • Insulating Piercing Connector • Anchor Clamp Assembly	25.10.2024	GM(QS&S)DGM(EL.)-3/BC-11/ 19-20/Cys-165 dated:09.12.2019 (Subject to revalidation every year)	
11	M/s Spoorthy Metal Technologies Pvt Ltd, 157-P Sopura Industrial Area, 1st phase, Dabuspete, Nelamangla, Bangalore - 562111 E-mail: spoorthymetals@gmail.com Contact No: 9036928643	11kV, Jointing & cable termination kit as per IS - 13573 3CX95sqmm, 3CX240sqmm, 3CX400sqmm 11kV XLPE UG cable Accessories • Heat shrinkable indoor/ outdoor terminations • Heat shrinkable straight through/ Transition joints	05.08.2024	GM(QS&S)DGM(EL.)-3/BC-11/ 20-21/Cys-76 dated:13.08.2020 (Subject to revalidation every year)	16.09.2021 GM(QS&S)/DGM-3/BC-11/20-21/CYS-125 dtd:18.09.2020
12	M/s BBC Cellpack Electrical Products, Behr Bircher cell pack BBC India Private Limited, No.801, NDM-1, Netaji Subhash Place, Pitampura, New Delhi - 110034 Factory Unit: No.149, EHTP, Phase 5, Sector 56, Kundli Sonpat, Haryana - 131028 Ph no:9830059945 E-mail:pinaki.gupta@cellpack.com	11kV, Jointing & cable termination kit as per IS -13573 3CX95sqmm, 3CX240sqmm, 3CX400sqmm 11kV XLPE UG cable Accessories a. Heat shrinkable indoor/ outdoor terminations b. Heat shrinkable straight through/ Transition joints	09.07.2024	GM(QS&S)DGM(EL.)-3/BC-11/ 20-21/Cys-134 dated:05.10.2020 (Subject to revalidation every year)	
13	M/s Compaq International Pvt. Ltd, VPO-Shadipur, Gurunak Nagar,Khajuri Road, Yamuna Nagar, Khajuri Road, Yamuna Nagar-135001, Haryana	3C x 95sq mm, 3CX240sqmm, 3C x 400sq mm HT XLPE UG cable accessories: a)Heat Shrinkable indoor/outdoor terminations. b)Heat Shrinkable straight through /transition joints	18.12.2022	GM(QS&S)/DGM-4/BC-11/17-18/CYS-53 dtd: 22.06.2018 (Subject to revalidation every year)	17.10.2021 GM(QS&S)/DGM-3/BC-11/20-21/CYS-143 dtd:19.10.2020

14	M/s Ensto India Private Limited, A2/78, Safdarjang Enclave, New Delhi-110029 (Works: Plot No:241-242, Sector 6, IMT Manesar, 122050, Haryana, Gurgaon Tel: 91124474242	Accessories for ABC cables • Insulation Piercing Connectors • Anchor Assembly • Suspension Assembly • Service clamp • Transformer Connections • Junction Sleeves • Stainless Steel Strap & Buckles	03.11.2021	GM(QS&S)/DGM-3/BC-11/20-21/CYS-156 dtd: 04.11.2020 (Subject to revalidation every year)	
15	M/s Elechem Systems Pvt Ltd., Backside Motia Homes, Behind Mayur Hotel, Godown Area, Zirapur Dist, Mohil, Punjab - 140603. Ph No:0091-1762-509506, 509507 E-mail:elechemsales@gmail.com	Heat Shrink Jointing & termination kit, 1.1kV XLPE UG cable accessories 11kV Jointing & cable termination kits as per IS-13573 3C x 95sq mm, 3CX185sqmm, 3C x 400sq mm HT XLPE UG cable accessories: a)Heat Shrinkable indoor/outdoor terminations. b)Heat Shrinkable straight through /transition joints	07.02.2023	GM(QS&S)/DGM-3/BC-11/20-21/CYS-190 dtd: 18.12.2020 (Subject to revalidation once in 2 years)	
16	M/s IAC Electricals Pvt Ltd., Regd Off: 701, Central plaza, 2/6, sarat bose Road, Kolkata- 700 020 Factory Unit: Sankrail Industrial Park, Plot No:53, NH-6, Dhalagori District, Howrah Ph No:9845019106 Tel -913324858814/15 E-mail:info@iacelectricals.com	Insulating piercing connectors. Anchoring clamps (Dead end)/ Stay assembly Suspension clamp/Tension clamp assembly. Ground connection for messenger wire Pole clamp T Connectors Stainless steel strap with Buckle Junction sleeves Pre Insulated lugs	04.05.2023	GM(QS&S)/DGM-3/BC-11/20-21/CYS-194 dtd: 21.12.2020 (Subject to revalidation once in 2 years)	
17	M/s Frontier Technologies Pvt Ltd., Old Manesar Road, P.O Narsinghpur Factory area, Gurgaon-122 004, Haryana Ph No:0124-6513331 E-mail:mail@frontec.co.in	11kV, Jointing and Cable Termination kits as per IS-13573 11kV, 3X95sqmm, 3X 240 sqmm & 3X400 sq mm HT XLPE cable accessories: a) Heat Shrinkable indoor/outdoor terminations. b) Heat Shrinkable straight through/ transition joints	25.02.2026	GM(QS&S)/DGM-3/BC-11/20-21/CYS-268 dtd: 03.03.2021 (Subject to revalidation once in 2 years)	