

**HT , LT U.G. cables & PVC insulated AI wire**

Sl.No	Name of the firm	particulars	Valid upto	O.M.No. & Date	Revalidated upto	
1	M/s. Chandresh Cables Ltd, G-6, New Madhavpura market, Near Police Commissioner Office, Ahmedabad-380004 Factory Unit: Block No.1108, Chhatral Taluka Kalol Dist, Gandhinagar - 382729 Gujarat (E-mail: sales@avocab.com, sangameshbc@avocab.com) (Ph No: 91-79-25623055, 25623056, 25623057)(Mob: 9901491011)	<b>11kV, 3Core, HT XLPE UG Cable with pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2)</b>				
		3CX240sq.mm (55 GI Wires - 3.15mm Dia)	17.02.2025	GM(QS&S)/DGM-3/BC-11/20-21/CYS-69 dtd:11.08.2020. (Subject revalidation every year)		
		3CX400sq.mm (51 GI Wires - 4mm Dia)				
		<b>HT XLPE UG cable</b>	31.12.2021		14.11.2020 GM(Q,S&S)DGM -3/BC-11/19-20 /cys-155 dated: 18.11.2019	
		11kV, 3x95 sqmm HT XLPE UG cable				
		<b>Copper control cables 1.1kV class</b>	29.06.2021	GM(Q,S&S)DGM -4/BC-11/17-18 /cys-39 dated:19.05.2017 (Subject revalidation every year)	14.11.2020 vide CYS-155 dtd:18.11.2019	
		1.1 kV 4x2.5sqmm Control cables				
		1.1 kV 4x6 sqmm Control cables				
		19C x 2.5sqmm armoured cable with standed copper conductor(control cable)	30.10.2020		30.10.2020 vide CYS-155	
		<b>1.1kV LT, XLPE, PVC extruded Inner Sheath armoured LT UG cable as per IS-7098-part 1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975</b>				
		4C x 16Sq mm,(11 GI Strips - 4.0 x 0.8mm)	24.10.2024	GM(Q,S&S)DGM -3/BC-11/19-20/Cys-182 dated:27.12.2019 (subject to Revalidation every year)		
		4C x 25Sq mm,(13 GI Strips - 4.0 x 0.8mm)				
		3.5C x 95Sq mm,(21 GI Strips - 4.0 x 0.8mm)				
		3.5C x 185Sq mm, (28 GI Strips - 4.0 x 0.8mm)				
		3.5C x 400Sq mm,(39 GI Strips - 4.0 x 0.8mm)				
		3.5C x 70Sq mm,( 18 GI Strips - 4.0 x 0.8mm)	24.10.2024	GM(QS&S)/DGM-3/BC-11/20-21/CYS-69 dtd:11.08.2020. (Subject revalidation every year)		
		3.5C x 150Sq mm, (25 GI Strips - 4.0 x 0.8mm)				
		3.5C x 240Sq mm,( 30 GI Strips - 4.0 x 0.8mm)				
		3.5C x 300 Sqmm, (32 GI Strips - 4.0 x 0.8mm)				
4C x 10 Sqmm, (10 GI Strips - 4.0 x 0.8mm)						
<b>1.1KV Class HR (Heat Resistant) PVC Insulated &amp; UnSheathed Aluminium Wires Multistrand Single core Lead wires as per IS- 694: 2010</b>						
PVC Wire - 25 Sqmm Al Wt: 6.7 Kgs, Total Wt: 11.5Kgs for 100Mtrs	18.01.2025	GM(QS&S)/DGM-3/BC-11/20-21/CYS-69 dtd:11.08.2020. (Subject revalidation every year)				
PVC Wire - 240 Sqmm Al Wt: 63.5 Kgs, Total Wt: 87Kgs for 100Mtrs						
2	M/s Universal Cables Limited, P.O. Birla, Vikas, Satna, Madhya Pradesh	11 kV, 3Cx400 sq.mm XLPE HT UG Cable	31.12.2020	GM(Q,S&S)DGM -3/BC-11/15-16/Cys-133 dated:28.12.2015(subj ect to Revalidation every year)	31.12.2020 vide CYS-147 dtd:08.11.2019	
		11 kV, 3C X 95 sq.mm XLPE HT UG Cable	28.02.2021	GM(Q,S&S)DGM -3/BC-11/15-16/cys-13 dated:05.05.2016(subj ect to Revalidation every year)	Ravalidated upto 08.11.2020 vide cys-147dated: 08.11.2019	
		11 kV, 3C X 240 sq.mm XLPE HT UG Cable	31.01.2021			

3	M/s SBEE Cables (India), Ltd, No:29, J.C.W Industrial estate Kanakapura Road, B'lore-64 (Ph No: 080-26662172, 26860166)	PVC insulated, Unsheathed Aluminium wires, single core multistrand,LT Lead wire, 1.1kV class ,			<b>BESCOM/GM(QS&amp;S)/DG M(Ele)-3/BC-11/19-20/CYS-90 dtd:16.08.2019</b>	
		1C x 95 Sq. mm	08.03.2021			
		1C x 120 Sq. mm	08.03.2021		14.08.2020	
		1C x 185 Sq. mm	09.03.2021			
		1C x 240 Sq. mm	09.03.2021			
		<b>LT XLPE, Copper/Aluminium UG cable (armoured)</b>				
		3C x 2.5 Sq. mm	07.03.2021	GM(Q,S&S)DGM - 4//BC-11/16-17/cys-27 dated:03.06.2016 ( subject to revalidation every year)	14.08.2020	
		4C x 10 Sq.mm	07.03.2021			
		3.5C x 50 Sq. mm	30.04.2021			
		3.5C x 95 Sq. mm	30.04.2021			
		3.5C x 185Sq.mm	27.02.2021			
		3.5C x 240 Sq.mm	30.04.2021			
		4C x 16 Sq.mm	30.04.2021			
		<b>LT PVC AL UG Cable (Armoured)</b>				
		3.5C x 50 Sq. mm	29.04.2021			14.08.2020
		4C x 16 Sq.mm	30.04.2021			
		4Cx 95 Sq. mm	31.08.2020		31.08.2020	
		4C x 400 Sq. mm	01.05.2020		01.05.2020	
		<b>Copper Control Cable</b>				
		4C x 2.5 Sq. mm	12.05.2020		12.05.2020	
		4C x 6.0 Sq. mm	12.05.2020		12.05.2020	
		19C x 2.5 Sq.mm	12.01.2020		12.01.2020	
		11kV, 3Core, HT XLPE UG Cable with pressure extruded, inner sheath ROUND WIRE ARMOURED as per IS-7098 (Part-2)		19.08.2024	GM(Q,S&S)DGM - 3//BC-11/19-20/cys-95 dated:23.08.2019 ( subject to revalidation every year)	
		3CX95sq.mm (54 GI Wires - 2.5mm Dia)				
		3CX240sq.mm (55 GI Wires - 3.15mm Dia)				
		3CX400sq.mm (51 GI Wires - 4mm Dia)				
		<b>1.1kV class HR (Heat Resistant) PVC Insulated &amp; Unsheathed Aluminium wires multistrand single core lead wire as per IS-694:2010</b>				
PVC Wire - 16 Sqmm Al Wt: 4.2 Kgs, Total Wt: 7.5Kgs for 100Mtrs	13.01.2025	GM(Q,S&S)DGM - 3//BC-11/19-20/cys-204 dated:03.02.2020 ( subject to revalidation every year)				
PVC Wire - 25 Sqmm Al Wt: 6.7 Kgs, Total Wt: 11.5Kgs for 100Mtrs						
11kV 3C x 95 sq. mm. HT XLPE UG cable	31.08.2025	GM(Q,S&S)DGM - 3//BC-11/20-21/CYS-153 dtd:02.11.2020 (Subject revalidation every year)				
11kV 3x240 sq. mm HT XLPE UG cable						
11kV 3C x 400 sq. mm. HT XLPE UG cable	02.01.2022	GM(Q,S&S)DGM - 4//BC-11/17-18/cys-274 dated:21.02.2018 (Subject revalidation every year)	<b>29.10.2021</b> GM(QS&S)/DGM-3/BC-11/20-21/CYS-154 dtd: 02.11.2020			
1.1kV LT, XLPE PVC extruded Inner Sheath armoured LT UG cable as per IS-1554 (Part-1) or IS-7098 Part-1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975	05.10.2022	GM(QS&S)/DGM-3//BC-11/19-20/CYS-133 dtd:18.10.2019				
6 Sqmm, 2Core,(24 GI wire - 1.4mm)						
10Sqmm, 2Core,(9GI Strips - 4.0 x 0.8mm)						
10Sqmm, 4Core,(10 GI Strips- 4.0 x 0.8mm)						
16 Sqmm, 2Core,(9 GI Strips - 4.0 x 0.8mm)						
16 Sqmm, 4 Core,(11 GI Strips - 4.0 x 0.8mm)						
25 Sqmm, 2 Core,(12 GI Strips - 4.0 x 0.8mm)						
25 Sqmm, 3.5 Core,(12 GI Strips - 4.0 x 0.8mm)						
25 Sqmm, 4 Core,(13 GI Strips - 4.0 x 0.8mm)						
35 Sqmm, 3.5Core,(14 GI Strips - 4.0 x 0.8mm)						
35 Sqmm, 4 Core,(15 GI Strips - 4.0 x 0.8mm)						
4	M/s Polycab India Ltd., (Formerly Polycab Wires Limited) 74/8-9, Daman Indl Estate Village, Kadalya, Daman and 67-72 Noorpura, Tal- Halol. B-78, No:18, 4th Main Road, KSSIDC Industrial Estate, 6th block, Rajajinagar, Bangalore - 560010. Contact No: 8017036678 E-mail: kumar.gaurav@polycab.com					

		50 Sqmm,3.5 Core, (16 GI Strips - 4.0 x 0.8mm)			
		50 Sqmm, 4 Core, (17 GI Strips - 4.0 x 0.8mm)			
		70 Sqmm, 3.5 Core,(18 GI Strips - 4.0 x 0.8mm)			
		95 Sqmm, 3.5 Core,(21 GI Strips - 4.0 x 0.8mm)			
		120 Sqmm, 3.5Core,(23 GI Strips- 4.0 x 0.8mm)			
		150 Sqmm, 3.5 Core, (25 GI Strips-4.0 x 0.8mm)			
		185 Sqmm, 3.5Core,(28 GI Strips - 4.0 x 0.8mm)			
		240Sqmm, 3.5 Core, (30 GI Strips - 4.0 x 0.8mm)			
		300 Sqmm, 3.5 Core,(32 GI Strips - 4.0 x 0.8mm)			
		400 Sqmm, 3.5 Core,(39 GI Strips - 4.0 x 0.8mm)			
5	M/s Gloster Cables Limited, Sy No: 310/E, NH-7, Kallakal Village, Toopran Mandal, Dist., Medak (A.P)-502334 (Ph No: 91 8454250511/12, 250769/71) (E-mail:info@glostercable.com)	11kV 3C x 240 sq.mm HT XLPE UG Cable	04.04.2022	GM(Q,S&S)DGM - 4)/BC-11/17-18 /cys-26 dated:12.05.2017 (Subject revalidation every year)	04.04.2021 GM(QS&S)/DGM-3/BC-11/20-21/CYS-78 dtd:14.08.2020
		11kV 3C x 400 sq.mm HT XLPE UG Cable			
		11kV 3C x 95 sq.mm HT XLPE UG Cable	20.06.2021	GM(Q,S&S)DGM - 4)/BC-11/17-18 /cys-133 dated:16.09.2017 (Subject revalidation every year)	20.06.2021 GM(QS&S)/DGM-3/BC-11/20-21/CYS-78 dtd:14.08.2020
6	M/s Havells India Ltd., 5 <sup>th</sup> Floor, The estate, # 121-Dickenson road, Bangalore-560 042 ( Factory unit: A-461/462 & SP-215, MIA, Alwar, Rajasthan)	11kV 3x95 sq. mm XLPE UG cable	17.03.2022	GM(Q,S&S)DGM - 4)/BC-11/17-18 /cys-28 dated:17.05.2017 (Subject revalidation every year)	<b>Ravalidated vide cys-70 dated: 18.07.2019</b>
		11kV 3x 240 sq. mm XLPE UG cable	23.01.2022		
		LT XLPE AB cable of size 3C x 35 + 25 sq mm( Insulated Messenger)	28.01.2021	GM(QS&S)/DGM-4/BC-11/17-18/CYS-51 dtd:05.06.2017 (Subject to revalidation every year)	
		<b>Armoured LT UG Cable 1.1kV class</b>			
		3.5x 400sq mm	29.04.2019	GM(Q,S&S)DGM - 4)/BC-11/17-18 /cys-140 dated:21.09.2017 (Subject revalidation every year)	
		3.5x25sq mm	20.07.2022		
		4x25sq mm	28.04.2019		
		4x16sqmm	20.12.2021		
		<b>11kV HT XLPE UG Cable</b>			
		3x400sq mm	08.07.2019		
		<b>1.1kV LT, XLPE, PVC exutrated Inner Seath armoured UG LT cable as per IS-7098-part 1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975</b>			
		2C x 10 sq mm (9 GI Strips - 4.0 x 0.8mm)	20.12.2021	GM(Q,S&S)DGM - 3)/BC-11/18-19/cys-69 dated:18.07.2019 (Subject revalidation every year)	
		4C x 10 sq mm (10 GI Strips - 4.0 x 0.8mm)	10.01.2024		
		3.5C x 35 sq mm (14 GI Strips - 4.0 x 0.8mm)	31.01.2024		
		4C x 50 sq mm (17 GI Strips - 4.0 x 0.8mm)	20.12.2021		
3.5C x 95 sq mm (21 GI Strips - 4.0 x 0.8mm)	10.01.2024				
3.5C x 150 sq mm (25 GI Strips - 4.0 x 0.8mm)	29.01.2024				
3.5C x185 sq mm (28 GI Strips - 4.0 x 0.8mm)	11.01.2024				
3.5C x 240 sq mm (30 GI Strips - 4.0 x 0.8mm)	10.01.2024				
<b>11kV, 3 Core, HTUG Cable pressure extruded, inner sheath ROUND WIRE ARMOURED as per IS-7098 (Part-2)</b>					
3C x 400 Sq mm, (51 GI Wires - 4mm Dia)	12.07.2024				

7	M/s Dynamic Cables Ltd., H-581-A-592-A, Road No:6. VKI Area, Jaipur - 302013	11kV, 3 x 95 sq. mm HT XLPE UG cable	12.09.2022	GM(Q,S&S)DGM - 4)/BC-11/17-18 /cys-163 dated:07.10.2017 (Subject revalidation every year)	GM(QS&S)/DGM(EI)-3/BC-11/20-21/CYS-163 dtd:09.11.2020
		11kV, 3 x 240 sq. mm HT XLPE UG cable			
		11kV, 3 x 400 sq. mm HT XLPE UG cable			
8	M/s Insucon cables & Cond(P) Ltd., # 314-A, 3rd Floor, City centre, Sansar chandra Road, Jaipur-302001, Raj(Factory Unit: Road No:5A, F-61-63, Bindayaka Industrial Area, Jaipur-12)	<b>Armoured LT UG Cable 1.1class</b>	30.06.2022	GM(Q,S&S)DGM - 4)/BC-11/17-18 /cys-72 dated:11.07.2017 (Subject revalidation every year)	30.06.2022 GM(QS&S)/DGM-3/BC-11/20-21/CYS-169 dtd:12.11.2020
		4C x 16sq mm			
		3.5C x 95sq mm			
		3.5C x 240sq mm			
		3.5C x 400sq mm			
		4C x 25sq mm	30.06.2022		
		<b>PVC Insulatec &amp; Unsheathed Aluminium Wires, Single Core Multistrand 1.1kV class</b>			
		1C x 16 sqmm			
		1C x 50 sqmm			
		1C x 95 sqmm			
		1C x120 sqmm			
		1C x 150 sqmm			
		1C x 185 sqmm			
1C x 240 sqmm					
9	M/s GEMSCAB INDUSTRIES LTD., No: 40, Rajasthani Udyog Nagar, G.T Karnal Road, Delhi-110 033 (Factory unit: SP-4-868, RIICO Industrial area, Pathredi (Bhiwadi), P.O Tapukara, Dist, Alwar, Rajasthan) Contact No: 7230085142, 7230085143 E-mail:bhiwadi@gemscab.com	11kV 3C x 95 sq.mm HT XLPE UG Cable	12.05.2021	GM(Q,S&S)DGM - 3)/BC-11/18-19/cys-159 dated:15.07.2016 (Subject revalidation every year)	12.05.2021 GM(QS&S)/DGM-3/BC-11/20-21/CYS-42 dtd:18.06.2020
		11kV 3C x 240 sq.mm HT XLPE UG Cable	10.05.2021		
		11kV 3CX400sq.mm, HT XLPE UG cable	18.01.2024		
10	M/s Vishal cables Pvt Ltd., No:56, Gr. Floor, Ashoka Shopping Centre, G.T. Hospital Complex, L.T. Road, Mumbai - 400001 Factory Unit: Plot No: E-41, Addl. Ambernath MIDC, Anandnagar, Ambernath East - 421506, Thane, Maharashtra Contact No: 0251-2620077 (E-mail: vishalcables@gmail.com)	<b>1.1kV Class HR (Heat Resistant) PVC Insulated, Copper Control cables as per IS-554 (Part-1)</b>	22.04.2024	GM(Q,S&S)DGM -3)/BC-11/19-20/cys-64 dated:11.07.2019 (Subject revalidation every year)	
		2 Core, 2.5 Sq mm (18 No GI Wires (1.4mm))			
		4 Core, 2.5 Sq mm, (21 No GI Wires (1.4mm))			
		19 Core, 2.5 Sq mm, (36 No GI Wires (1.6mm))			
		2 Core, 6 Sq mm, (24 No GI Wires (1.4mm))			
		4 Core, 16 Sq mm, (30 No GI Wires (1.6mm))	22.04.2024		
		<b>1.1kV LT, XLPE, PVC extruded Inner Sheath armoured UG LT cable as IS-7098-part 1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975</b>			
		2C x 6 Sq mm,(24 GI wire - 1.4mm)			
		4C x 16 Sq mm, (11 GI Strips - 4.0 x 0.8mm)			
		3.5C x 95 Sq mm, (21 GI Strips - 4.0 x 0.8mm)			
3.5C x 400 Sq mm, (39 GI Strips - 4.0 x 0.8mm)					
11	M/s Torrent Cables Limited, Yoginagar, Mission Road, Nadiad - 387002 Changed the Company name to :M/s Torrent Power Limited, Yoginagar, Mission Road, Nadiad - 387002 , Gujarat	<b>11kV, 3Core, HT XLPE UG Cable with pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2)</b>	05.10.2022		
		3CX240sq.mm (55 GI Wires - 3.15mm Dia)			
		3CX400sq.mm (51 GI Wires - 4mm Dia)			
12	M/s Gupta Power Infrastructure Ltd, EN 62, sector V, 7th Floor, Salt Lake City, kolkatta - 700091. (E-mail: infor@guptapower.com, rhino@guptapower.com)	<b>HT XLPE UG Cable</b>	12.04.2022	GM(QS&S)/DGM-3/BC-11/17-18/CYS-90 dtd:05.08.2017	13.12.2020 GM(QS&S)/DGM-3/BC-11/19-20/CYS-169 dtd:16.12.2019
		3x95sq mm			
		3x240sq mm			
		3x400sq mm	18.04.2022		
		<b>LT XLPE UG Cable</b>	15.06.2021		
		3.5x400sq mm XLPE LT UG cable,			
		3.5x240sq mm XLPE LT UG cable,			
		3.5x185sq mm, XLPE LT UG cable,			
		3.5x95sq mm, XLPE LT UG cable			
		4x16sq mm, XLPE LT UG cable			
4x10sq mm, XLPE LT UG cable	19.07.2021				

13	M/s KEI Industries Ltd, Okhla industrial Area Phase-1, New Delhi Factory Unit: SP-919/920/922, RIICI Industrial Area, Ph.III, Bhiwadi Distt. Alwar-3010109	<b>HT XLPE UG Cable</b>			
		3x400sq mm	10.07.2022		
		<b>Armoured XLPE insulated LT UG Cable 1.1kV Class</b>			
		10 Sqmm, 4 Core	29.12.2021		
		16 Sqmm, 2 Core	17.08.2022		
		16 Sqmm, 4 Core	28.12.2021		
		25 Sqmm, 4 Core	03.01.2022		
		35 Sqmm, 3.5 Core			
		50 Sqmm, 3.5 Core			
		70 Sqmm, 3.5 Core			
		95 Sqmm, 3.5 Core			
		150 Sqmm, 3.5 Core			
		185 Sqmm, 3.5 Core			
		240 Sqmm, 3.5 Core			
300 Sqmm, 3.5 Core	22.06.2022				
400 Sqmm, 3.5 Core	18.07.2022				
	11kV, 3 Core, HTUG Cable for insulations High quality clean XLPE compound shall be used (Free from microvoids, Moisture content, ambers and contaminations) with pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2) Armouring wires dia in average ± 2.5% and resistivity 14.0 Ohms/KM (Max) as per IS-3975				
	3 x 95 Sqmm, (54 GI Wires - 2.5mm Dia)	29.06.2025 (Subject to revalidation every year)	GM(QS&S)/DGM-3/BC-11/17-18/CYS-137 dtd:20.09.2017	18.01.2021 GM(QS&S)/DGM-3/BC-11/19-20/CYS-196 dtd:18.01.2020	
	3 x 240 Sqmm, (55 GI Wires - 3.15mm Dia)				
14	M/s Finolex Cables Limited, 26/27, Mumbai Pune Road, Pimpri, Pune-411 018	11kV 3 x 240 sq.mm XLPE UG Cables	30.10.2020	GM(QS&S)/DGM-3/BC-11/16-17/CYS-18 dtd:28.04.2017	30.10.2020 GM(QS&S)/DGM-3/BC-11/19-20/CYS-187 dtd:01.01.2020
		11kV 3 x 400 sq.mm XLPE UG Cables			
		<b>11kV, 3Core, HT XLPE UG Cable with pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2)</b>	27.11.2023 (Subject to revalidation every year)	GM(QS&S)/DGM-3/BC-11/19-20/CYS-188 dtd:01.01.2020	
		3CX95sq.mm (54 GI Wires - 2.5mm Dia)			
15	M/s KEC International Limited(Cables Division), Survey No:803, Village: Godampura Taluka - Salvi Dist, Vadodara - 391520.	11kV 3 x 95 sq.mm XLPE UG Cables			
		11kV 3 x 240 sq.mm XLPE UG Cables	03.01.2022	GM(QS&S)/DGM-4/BC-11/18-19/CYS-27 dtd:28.05.2017	23.12.2020 GM(QS&S)/DGM-3/BC-11/19-20/CYS-190 dtd:01.01.2020
		11kV 3 x 400 sq.mm XLPE UG Cables			
		4 x 240 sq.mm XLPE, LT UG Cable 1.1kV class	28.03.2021		
16	M/s Fortune Art Wires & Cables Pvt Ltd., Plot No: 215/A, phase - II, IDA, Chelapally, Hyderabad - 500051. Ph No: 8374098833. E-mail: smbasha@facables.com	1.1kV LT, XLPE PVC extruded Inner Sheath armoured LT UG cable as per IS-1554 (Part-1) or IS-7098 Part-1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975			
		10Sqmm, 4Core,(10 GI Strips- 4.0 x 0.8mm)			
		16 Sqmm, 4 Core,(11 GI Strips - 4.0 x 0.8mm)			
		25 Sqmm, 3.5 Core,(12 GI Strips - 4.0 x 0.8mm)			
		25 Sqmm, 4 Core,(13 GI Strips - 4.0 x 0.8mm)			
		35 Sqmm, 3.5Core,(14 GI Strips - 4.0 x 0.8mm)			
		50 Sqmm,3.5 Core, (16 GI Strips - 4.0 x 0.8mm)			
		70 Sqmm, 3.5 Core,(18 GI Strips - 4.0 x 0.8mm)			
		95 Sqmm, 3.5 Core,(21 GI Strips - 4.0 x 0.8mm)			
		120 Sqmm, 3.5Core,(23 GI Strips- 4.0 x 0.8mm)			
		150 Sqmm, 3.5 Core, (25 GI Strips-4.0 x 0.8mm)			
		185 Sqmm, 3.5Core,(28 GI Strips - 4.0 x 0.8mm)			
		300 Sqmm, 3.5 Core,(32 GI Strips- 4.0 x 0.8mm)			
		400 Sqmm, 3.5 Core,(39 GI Strips- 4.0 x 0.8mm)			
		1.1kV Class HR (Heat Resistant) PVC Insulated, Copper Control cables as per IS-554 (Part-1)			
		10Core, 2.5 Sqmm, 28 No GI Wires (1.6mm)	13.12.2023		
		17	M/s Laser power & Infra Pvt Ltd, 4A, Pollock street, 3rd floor, Kolkata-700001 (Unit-1: Biprannapara, Jalan complex, P.S. Domjur, Hawrah-711411, Unit II: NH-6, Poly Park, Dhulagori, Howrah-711302)	<b>11kV HT XLPE UG cable (Round &amp; Flat Armour)</b>	
3C x 400sq mm	09.08.2022				
3C x 240sq mm	22.11.2021				
<b>1.1kV LT XLPE UG Cable</b>					
3.5C x 240sq mm	14.09.2022				
3.5C x 95sq mm	16.11.2021				
4C x 16sq mm					
4C x 10sq mm					
4C x 50sq mm					
4C x 6sq mm					
4C x 25sq mm	14.09.2022				
3.5Cx150sq mm	27.05.2020				
<b>Copper Control Cables 1.1kV Class</b>					
4Cx2.5sq mm	03.11.2020				
		GM(Q,S&S)DGM -3)/ BC-11/19-20/cys-205 dated:04.02.2020 (Subject revalidation every year)	13.03.2021 GM(Q,S&S)DGM -3)/ BC-11/19-20/cys-225 dated:13.03.2020		
			27.05.2020		
			03.11.2020		

18	Registered Office: 204&205, Shivam House, Karpura, Commercial Complex, New Delhi-15 (Factory Unit: E-418 to E-421, Industrial Area Chopanki, Biwadi Distt. Alwar(Rajasthan)-301019.	1.1kV LT, XLPE PVC extruded Inner Sheath armoured LT UG cable as per IS-1554 (Part-1) or IS-7098 Part-1, Armouring strip thickness in average $\pm$ 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975		GM(Q,S&S)DGM -3/ BC-11/20-21/cys-49 dated:19.06.2020 (Subject revalidation every year)
		300Sq mm, 3.5Core (32GI Strips - 4.0 x 0.8mm)	05.07.2024	
19	M/s SPM Power & Telecom Pvt Ltd., Regd Office : Plot NoA-28/1/12, Road No.15, I.D.A., Nacharam, Hyderabad - 500076 (Factory Unit: Sy No.245 & 246, Ramanthapur Village, Chegunta, Yelsurthy Mandal) Contact No: 91 40 29702652, 29702657 E-mail: info@spm-cables.in	6.35/11kV 3x95sq mm & 3x240sq mm HT XLPE UG cable	18.09.2025	GM(Q,S&S)DGM -3/ BC-11/20-21/cys-135 dated:08.10.2020 (Subject revalidation every year)
20	M/s Apar Industries limited, (Unit Uniflex Cables) No: 301/306, Panorama complex R.C Dutt road, Vadodara 39000 (Factory Unit: Plot no: 158/163, GIDC, Umergaon Dist, Valsad, Gujarat - 396171) (Ph.No91(080)23443932/9986049678 email-kr.sanjay@apar.com	<b>6.35/11kV HT XLPE UG Cable</b>		GM(Q,S&S)DGM -3/ BC-11/20-21/cys-140 dated:15.10.2020 (subject to revalidation every year)
		3x95 sq.mm, 3x240sq mm & 3x400sq mm, 11kV HT XLPE U.G. Cable	30.07.2025	
21	M/s Prime Cable Industries Pvt Ltd., E-894, 895, D.S.I.I.D.C. Industrial Area, Narela, Delhi - 110040 Ph No:011-27318598, E-mail:info@primecableindia.com, primecableindustries@gmail.com	<b>1.1kV XLPE or Heat resistance PVC Insulated PVC extruded inner sheath Armoured LT UG Cable</b>	11.06.2025	GM(Q,S&S)DGM -3/ BC-11/20-21/cys-142 dated:17.10.2020 (Subject revalidation every year)
		2C x 10 sqmm		
		4C x 10sq mm		
		4C x 16sq mm		
		4C x25sq mm		
		4C x 50sq mm		
		4C x 95sq mm		
		3.5C x 50sq mm		
		3.5C x 70 sq mm		
		3.5C x 95 sq mm		
		3.5C x 120 sq mm		
		3.5C x 150sq mm		
		3.5C x 240sq mm		
		<b>1.1kV class Heat Resistant or PVC Insulated and Unsheathed Aluminium Wires Multistrand Single Core Lead Wires'</b>	30.11.2025	
		1C x 16 sqmm		
		1C x 25 sqmm		
		1C x 35 sqmm		
		1C x50 sqmm		
		1C x 70 sqmm		
		1C x 95 sqmm		
1C x 120 sqmm				
1C x 150 sqmm				
1C x 185 sqmm				
1C x 240 sqmm				