

HT , LT U.G. cables & PVC insulated Al wire

Sl.No	Name of the firm	particulars	Valid upto	O.M.No. & Date	Revalidated upto
1	M/s. Chandresh Cables Ltd, G-6, New Madhavpura market, Near Police Commissioner Office, Ahmedabad-380004 Factory Unit: Block No.1108, Chhatral Taluka Kalol Dist, Gandhinagar - 382729 Gujrat (E-mail: sales@avocab.com, sangameshbc@avocab.com) (Ph No: 91-79-25623055, 25623056, 25623057)(Mob: 9901491011)	11kV, 3Core, HT XLPE UG Cable with pressure extruded, inner sheath ROUND WIRE ARMOURED as per IS-7098 (Part-2)			
		3CX240sq.mm (55 GI Wires - 3.15mm Dia)	17.02.2025	GM(QS&S)/DGM-3/BC-11/20-21/CYS-69 dtd:11.08.2020. (Subject revalidation every year)	
		3CX400sq.mm (51 GI Wires - 4mm Dia)			
		HT XLPE UG cable	31.12.2021		31.12.2021 GM(Q,S&S)DGM -3)/BC-11/20-21 /cys-223 dated: 19.01.2021
		11kV, 3x95 sqmm HT XLPE UG cable		GM(Q,S&S)DGM -4)/BC-11/17-18 /cys-39 dated:19.05.2017 (Subject revalidation every year)	
		Copper control cables 1.1kV class	29.06.2021		29.06.2021 GM(Q,S&S)DGM -3)/BC-11/20-21 /cys-223 dated: 19.01.2021
		1.1 kV 4x2.5sqmm Control cables			
		1.1 kV 4x6 sqmm Control cables			
		1.1kV LT, XLPE, PVC extruded Inner Sheath armoured LT UG cable as per IS-7098-part 1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975			
		4C x 16Sq mm,(11 GI Strips - 4.0 x 0.8mm)	24.10.2024	GM(Q,S&S)DGM -3)/BC-11/19-20/Cys-182 dated:27.12.2019 (subject to Revalidation every year)	24.10.2023 GM(Q,S&S)DGM -3)/BC-11/20-21 /cys-223 dated: 19.01.2021
		4C x 25Sq mm,(13 GI Strips - 4.0 x 0.8mm)			
		3.5C x 95Sq mm,(21 GI Strips - 4.0 x 0.8mm)			
		3.5C x 185Sq mm, (28 GI Strips - 4.0 x 0.8mm)			
		3.5C x 400Sq mm,(39 GI Strips - 4.0 x 0.8mm)	24.10.2024	GM(QS&S)/DGM-3/BC-11/20-21/CYS-69 dtd:11.08.2020. (Subject revalidation every year)	
		3.5C x 70Sq mm,(18 GI Strips - 4.0 x 0.8mm)			
		3.5C x 150Sq mm, (25 GI Strips - 4.0 x 0.8mm)			
		3.5C x 240Sq mm,(30 GI Strips - 4.0 x 0.8mm)			
		3.5C x 300 Sqmm, (32 GI Strips - 4.0 x 0.8mm)			
		4C x 10 Sqmm, (10 GI Strips - 4.0 x 0.8mm)			
		1.1KV Class HR (Heat Resistant) PVC Insulated & UnSheathed Aluminium Wires Multistrand Single core Lead wires as per IS- 694: 2010			
PVC Wire - 25 Sqmm Al Wt: 6.7 Kgs, Total Wt: 11.5Kgs for 100Mtrs	18.01.2025	GM(QS&S)/DGM-3/BC-11/20-21/CYS-69 dtd:11.08.2020. (Subject revalidation every year)			
PVC Wire - 240 Sqmm Al Wt: 63.5 Kgs, Total Wt: 87Kgs for 100Mtrs					
2	M/s Universal Cables Limited, P.O. Birla, Vikas, Satna, Madhya Pradesh	11 kV, 3C X 95 sq.mm XLPE HT UG Cable	28.02.2021	GM(Q,S&S)DGM -3)/BC-11/15-16/cys-13 dated:05.05.2016(sub ject to Revalidation	Ravalidated upto 08.11.2020 vide cys-147dated: 08.11.2019
	M/s Polycab India Ltd., (Formerly Polycab Wires Limited)	11kV 3C x 95 sq. mm. HT XLPE UG cable	31.08.2025	GM(Q,S&S)DGM -3/BC-11/20-21/CYS-153 dtd:02.11.2020 (Subject revalidation every year)	
		11kV 3x240 sq. mm HT XLPE UG cable			
		11kV 3C x 400 sq. mm. HT XLPE UG cable	02.01.2022	GM(Q,S&S)DGM -4)/BC-11/17-18/cys-274 dated:21.02.2018 (Subject revalidation every year)	29.10.2021 GM(QS&S)/DGM-3/BC-11/20-21/CYS-154 dtd: 02.11.2020
		1.1kV LT, XLPE PVC extruded Inner Sheath armoured LT UG cable as per IS-1554 (Part-1) or IS-7098 Part-1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975			
		6 Sqmm, 2Core,(24 GI wire - 1.4mm)			
		10Sqmm, 2Core,(9GI Strips - 4.0 x 0.8mm)			
10Sqmm, 4Core,(10 GI Strips- 4.0 x 0.8mm)					
16 Sqmm, 2Core,(9 GI Strips - 4.0 x 0.8mm)					

3	74/8-9, Daman Indl Estate Village, Kadalya, Daman and 67-72 Noorpura, Tal- Halol. B-78, No:18, 4th Main Road, KSSIDC Industrial Estate, 6th block, Rajajinagar, Bangalore – 560010. Contact No: 8017036678 E-mail: kumar.gaurav@polycab.com	<table border="1"> <tr><td>16 Sqmm, 4 Core,(11 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>25 Sqmm, 2 Core,(12 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>25 Sqmm, 3.5 Core,(12 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>25 Sqmm, 4 Core,(13 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>35 Sqmm, 3.5Core,(14 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>35 Sqmm, 4 Core,(15 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>50 Sqmm,3.5 Core, (16 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>50 Sqmm, 4 Core, (17 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>70 Sqmm, 3.5 Core,(18 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>95 Sqmm, 3.5 Core,(21 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>120 Sqmm, 3.5Core,(23 GI Strips- 4.0 x 0.8mm)</td></tr> <tr><td>150 Sqmm, 3.5 Core, (25 GI Strips-4.0 x 0.8mm)</td></tr> <tr><td>185 Sqmm, 3.5Core,(28 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>240Sqmm, 3.5 Core, (30 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>300 Sqmm, 3.5 Core,(32 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>400 Sqmm, 3.5 Core,(39 GI Strips - 4.0 x 0.8mm)</td></tr> </table>	16 Sqmm, 4 Core,(11 GI Strips - 4.0 x 0.8mm)	25 Sqmm, 2 Core,(12 GI Strips - 4.0 x 0.8mm)	25 Sqmm, 3.5 Core,(12 GI Strips - 4.0 x 0.8mm)	25 Sqmm, 4 Core,(13 GI Strips - 4.0 x 0.8mm)	35 Sqmm, 3.5Core,(14 GI Strips - 4.0 x 0.8mm)	35 Sqmm, 4 Core,(15 GI Strips - 4.0 x 0.8mm)	50 Sqmm,3.5 Core, (16 GI Strips - 4.0 x 0.8mm)	50 Sqmm, 4 Core, (17 GI Strips - 4.0 x 0.8mm)	70 Sqmm, 3.5 Core,(18 GI Strips - 4.0 x 0.8mm)	95 Sqmm, 3.5 Core,(21 GI Strips - 4.0 x 0.8mm)	120 Sqmm, 3.5Core,(23 GI Strips- 4.0 x 0.8mm)	150 Sqmm, 3.5 Core, (25 GI Strips-4.0 x 0.8mm)	185 Sqmm, 3.5Core,(28 GI Strips - 4.0 x 0.8mm)	240Sqmm, 3.5 Core, (30 GI Strips - 4.0 x 0.8mm)	300 Sqmm, 3.5 Core,(32 GI Strips - 4.0 x 0.8mm)	400 Sqmm, 3.5 Core,(39 GI Strips - 4.0 x 0.8mm)	05.10.2022		
16 Sqmm, 4 Core,(11 GI Strips - 4.0 x 0.8mm)																					
25 Sqmm, 2 Core,(12 GI Strips - 4.0 x 0.8mm)																					
25 Sqmm, 3.5 Core,(12 GI Strips - 4.0 x 0.8mm)																					
25 Sqmm, 4 Core,(13 GI Strips - 4.0 x 0.8mm)																					
35 Sqmm, 3.5Core,(14 GI Strips - 4.0 x 0.8mm)																					
35 Sqmm, 4 Core,(15 GI Strips - 4.0 x 0.8mm)																					
50 Sqmm,3.5 Core, (16 GI Strips - 4.0 x 0.8mm)																					
50 Sqmm, 4 Core, (17 GI Strips - 4.0 x 0.8mm)																					
70 Sqmm, 3.5 Core,(18 GI Strips - 4.0 x 0.8mm)																					
95 Sqmm, 3.5 Core,(21 GI Strips - 4.0 x 0.8mm)																					
120 Sqmm, 3.5Core,(23 GI Strips- 4.0 x 0.8mm)																					
150 Sqmm, 3.5 Core, (25 GI Strips-4.0 x 0.8mm)																					
185 Sqmm, 3.5Core,(28 GI Strips - 4.0 x 0.8mm)																					
240Sqmm, 3.5 Core, (30 GI Strips - 4.0 x 0.8mm)																					
300 Sqmm, 3.5 Core,(32 GI Strips - 4.0 x 0.8mm)																					
400 Sqmm, 3.5 Core,(39 GI Strips - 4.0 x 0.8mm)																					
4	M/s Gloster Cables Limited, Sy No: 310/E, NH-7, Kallakal Village, Toopran Mandal, Dist., Medak (A.P)-502334 (Ph No: 91 8454250511/12, 250769/71) (E-mail:info@glostercable.com)	<table border="1"> <tr><td>11kV 3C x 240 sq.mm HT XLPE UG Cable</td></tr> <tr><td>11kV 3C x 400 sq.mm HT XLPE UG Cable</td></tr> <tr><td>11kV 3C x 95 sq.mm HT XLPE UG Cable</td></tr> </table>	11kV 3C x 240 sq.mm HT XLPE UG Cable	11kV 3C x 400 sq.mm HT XLPE UG Cable	11kV 3C x 95 sq.mm HT XLPE UG Cable	04.04.2022 20.06.2021	GM(Q,S&S)DGM - 4)/BC-11/17-18 /cys-26 dated:12.05.2017 (Subject revalidation every year) GM(Q,S&S)DGM - 4)/BC-11/17-18 /cys-133 dated:16.09.2017 (Subject revalidation every year)	04.04.2021 GM(QS&S)/DGM-3/BC-11/20-21/CYS-78 dtd:14.08.2020 20.06.2021 GM(QS&S)/DGM-3/BC-11/20-21/CYS-78 dtd:14.08.2020													
11kV 3C x 240 sq.mm HT XLPE UG Cable																					
11kV 3C x 400 sq.mm HT XLPE UG Cable																					
11kV 3C x 95 sq.mm HT XLPE UG Cable																					
5	M/s Havells India Ltd., 5 th Floor, The estate, # 121-Dickenson road, Bangalore-560 042 (Factory unit: A-461/462 & SP-215, MIA, Alwar, Rajasthan)	<table border="1"> <tr><td>11kV 3x95 sq. mm XLPE UG cable</td></tr> <tr><td>11kV 3x 240 sq. mm XLPE UG cable</td></tr> <tr><td>Armoured LT UG Cable 1.1kV class</td></tr> <tr><td>3.5x25sq mm</td></tr> <tr><td>4x16sqmm</td></tr> <tr><td>1.1kV LT, XLPE, PVC exutrated Inner Seath armoured UG LT cable as per IS-7098-part 1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975</td></tr> <tr><td>2C x 10 sq mm (9 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>4C x 10 sq mm (10 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>3.5C x 35 sq mm (14 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>4C x 50 sq mm (17 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>3.5C x 95 sq mm (21 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>3.5C x 150 sq mm (25 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>3.5C x185 sq mm (28 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>3.5C x 240 sq mm (30 GI Strips - 4.0 x 0.8mm)</td></tr> <tr><td>11kV, 3 Core, HTUG Cable pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2)</td></tr> </table>	11kV 3x95 sq. mm XLPE UG cable	11kV 3x 240 sq. mm XLPE UG cable	Armoured LT UG Cable 1.1kV class	3.5x25sq mm	4x16sqmm	1.1kV LT, XLPE, PVC exutrated Inner Seath armoured UG LT cable as per IS-7098-part 1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975	2C x 10 sq mm (9 GI Strips - 4.0 x 0.8mm)	4C x 10 sq mm (10 GI Strips - 4.0 x 0.8mm)	3.5C x 35 sq mm (14 GI Strips - 4.0 x 0.8mm)	4C x 50 sq mm (17 GI Strips - 4.0 x 0.8mm)	3.5C x 95 sq mm (21 GI Strips - 4.0 x 0.8mm)	3.5C x 150 sq mm (25 GI Strips - 4.0 x 0.8mm)	3.5C x185 sq mm (28 GI Strips - 4.0 x 0.8mm)	3.5C x 240 sq mm (30 GI Strips - 4.0 x 0.8mm)	11kV, 3 Core, HTUG Cable pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2)	17.03.2022 23.01.2022 20.07.2022 20.12.2021 20.12.2021 10.01.2024 31.01.2024 20.12.2021 10.01.2024 29.01.2024 11.01.2024 10.01.2024	GM(Q,S&S)DGM - 4)/BC-11/17-18 /cys-28 dated:17.05.2017 (Subject revalidation every year) GM(Q,S&S)DGM - 4)/BC-11/17-18 /cys-140 dated:21.09.2017 (Subject revalidation every year) GM(Q,S&S)DGM - 3)/BC-11/18-19/cys-69 dated:18.07.2019 (Subject revalidation every year)	Revalidated vide cys-70 dated: 18.07.2019	
11kV 3x95 sq. mm XLPE UG cable																					
11kV 3x 240 sq. mm XLPE UG cable																					
Armoured LT UG Cable 1.1kV class																					
3.5x25sq mm																					
4x16sqmm																					
1.1kV LT, XLPE, PVC exutrated Inner Seath armoured UG LT cable as per IS-7098-part 1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975																					
2C x 10 sq mm (9 GI Strips - 4.0 x 0.8mm)																					
4C x 10 sq mm (10 GI Strips - 4.0 x 0.8mm)																					
3.5C x 35 sq mm (14 GI Strips - 4.0 x 0.8mm)																					
4C x 50 sq mm (17 GI Strips - 4.0 x 0.8mm)																					
3.5C x 95 sq mm (21 GI Strips - 4.0 x 0.8mm)																					
3.5C x 150 sq mm (25 GI Strips - 4.0 x 0.8mm)																					
3.5C x185 sq mm (28 GI Strips - 4.0 x 0.8mm)																					
3.5C x 240 sq mm (30 GI Strips - 4.0 x 0.8mm)																					
11kV, 3 Core, HTUG Cable pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2)																					

		3C x 400 Sq mm, (51 GI Wires - 4mm Dia)	12.07.2024		
6	M/s Dynamic Cables Ltd., H-581-A-592-A, Road No:6. VKI Area, Jaipur - 302013	11kV, 3 x 95 sq. mm HT XLPE UG cable	12.09.2022	GM(Q,S&S)DGM - 4)/BC-11/17-18 /cys-163 dated:07.10.2017 (Subject revalidation every year	GM(QS&S)/DGM(EI)-3/BC-11/20-21/CYS-163 dtd:09.11.2020
		11kV, 3 x 240 sq. mm HT XLPE UG cable			
		11kV, 3 x 400 sq. mm HT XLPE UG cable			
7	M/s Insucon cables & Cond(P) Ltd., # 314-A, 3rd Floor, City centre, Sansar chandra Road, Jaipur-302001, Raj(Factory Unit: Road No:5A, F-61-63, Bindayaka Industrial Area, Jaipur-12)	Armoured LT UG Cable 1.1class	30.06.2022	GM(Q,S&S)DGM - 4)/BC-11/17-18 /cys-72 dated:11.07.2017 (Subject revalidation every year	30.06.2022 GM(QS&S)/DGM-3/BC-11/20-21/CYS-169 dtd:12.11.2020
		4C x 16sq mm			
		3.5C x 95sq mm			
		3.5C x 240sq mm			
		3.5C x 400sq mm			
		4C x 25sq mm			
		PVC Insulatec & Unsheathed Aluminium Wires, Single Core Multistrand 1.1kV class	30.06.2022		
		1C x 16 sqmm			
		1C x 50 sqmm			
		1C x 95 sqmm			
		1C x120 sqmm			
		1C x 150 sqmm			
		1C x 185 sqmm			
1C x 240 sqmm					
8	M/s GEMSCAB INDUSTRIES LTD., No: 40, Rajasthani Udyog Nagar, G.T Karnal Road, Delhi-110 033 (Factory unit: SP-4-868, RIICO Industrial area, Pathredi (Bhiwadi), P.O Tapukara, Dist, Alwar, Rajasthan) Contact No: 7230085142, 7230085143 E-mail:bhiwadi@gemscab.com	11kV 3C x 95 sq.mm HT XLPE UG Cable	12.05.2021	GM(Q,S&S)DGM - 3)/BC-11/18-19/cys-159 dated:15.07.2016 (Subject revalidation every year)	12.05.2021 GM(QS&S)/DGM-3/BC-11/20-21/CYS-42 dtd:18.06.2020
		11kV 3C x 240 sq.mm HT XLPE UG Cable	10.05.2021		
		11kV 3CX400sq.mm, HT XLPE UG cable	18.01.2024		
9	M/s Vishal cables Pvt Ltd., No:56, Gr. Floor, Ashoka Shopping Centre, G.T. Hospital Complex, L.T. Road, Mumbai - 400001 Factory Unit: Plot No: E-41, Addl. Ambernath MIDC, Anandnagar, Ambernath East - 421506, Thane, Maharashtra Contact No: 0251-2620077 (E-mail: vishalcables@gmail.com)	1.1kV Class HR (Heat Resistant) PVC Insulated, Copper Control cables as per IS-554 (Part-1)	22.04.2024	GM(Q,S&S)DGM - 3)/BC-11/19-20/cys-64 dated:11.07.2019 (Subject revalidation every year)	
		2 Core, 2.5 Sq mm (18 No GI Wires (1.4mm))			
		4 Core, 2.5 Sq mm, (21 No GI Wires (1.4mm))			
		19 Core, 2.5 Sq mm, (36 No GI Wires (1.6mm))			
		2 Core, 6 Sq mm, (24 No GI Wires (1.4mm))			
		4 Core, 16 Sq mm, (30 No GI Wires (1.6mm))	22.04.2024		
		1.1kV LT, XLPE, PVC extruded Inner Sheath armoured UG LT cable as IS-7098-part 1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975			
		2C x 6 Sq mm,(24 GI wire - 1.4mm)			
		4C x 16 Sq mm, (11 GI Strips - 4.0 x 0.8mm)			
		3.5C x 95 Sq mm, (21 GI Strips - 4.0 x 0.8mm)			
3.5C x 400 Sq mm, (39 GI Strips - 4.0 x 0.8mm)					
10	M/s Torrent Cables Limited, Yoginagar, Mission Road, Nadiad - 387002 Changed the Company name to :M/s Torrent Power Limited, Yoginagar, Mission Road, Nadiad - 387002 , Gujarat	11kV, 3Core, HT XLPE UG Cable with pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2)	05.10.2022	GM(QS&S)/DGM-3/BC-11/19-20/CYS-116 dtd:18.09.2019	05.10.2022 GM(QS&S)/DGM-3/BC-11/20-21/CYS-227 dtd:21.01.2021
		3CX240sq.mm (55 GI Wires - 3.15mm Dia)			
		3CX400sq.mm (51 GI Wires - 4mm Dia)			
M/s Gupta Power Infrastructure Ltd, EN 62, sector V, 7th Floor, Salt Lake City, Kolkata - 700091	HT XLPE UG Cable				
	3x95sq mm	12.04.2022			
	3x240sq mm	10.04.2022			
	3x400sq mm	18.04.2022			
	LT XLPE UG Cable				13.12.2020 GM(QS&S)/DGM-3/BC-11/20-21/CYS-227 dtd:21.01.2021

11	KUKATTA - 100091. (E-mail: infor@guptapower.com, rhino@guptapower.com)	<table border="1"> <tr><td>3.5x400sq mm XLPE LT UG cable,</td><td>15.06.2021</td></tr> <tr><td>3.5x240sq mm XLPE LT UG cable,</td><td>15.06.2021</td></tr> <tr><td>3.5x185sq mm, XLPE LT UG cable,</td><td>19.07.2021</td></tr> <tr><td>3.5x95sq mm, XLPE LT UG cable</td><td>15.06.2021</td></tr> <tr><td>4x16sq mm, XLPE LT UG cable</td><td>19.07.2021</td></tr> <tr><td>4x10sq mm, XLPE LT UG cable</td><td>19.07.2021</td></tr> </table>	3.5x400sq mm XLPE LT UG cable,	15.06.2021	3.5x240sq mm XLPE LT UG cable,	15.06.2021	3.5x185sq mm, XLPE LT UG cable,	19.07.2021	3.5x95sq mm, XLPE LT UG cable	15.06.2021	4x16sq mm, XLPE LT UG cable	19.07.2021	4x10sq mm, XLPE LT UG cable	19.07.2021	GM(QS&S)/DGM-3/BC-11/17-18/CYS-90 dtd:05.08.2017	GM(QS&S)/DGM-3/BC-11/19-20/CYS-169 dtd:16.12.2019																								
3.5x400sq mm XLPE LT UG cable,	15.06.2021																																							
3.5x240sq mm XLPE LT UG cable,	15.06.2021																																							
3.5x185sq mm, XLPE LT UG cable,	19.07.2021																																							
3.5x95sq mm, XLPE LT UG cable	15.06.2021																																							
4x16sq mm, XLPE LT UG cable	19.07.2021																																							
4x10sq mm, XLPE LT UG cable	19.07.2021																																							
12	M/s KEI Industries Ltd, Okhla industrial Area Phase-1, New Delhi Factory Unit: SP-919/920/922, RIICI Industrial Area, Ph:III, Bhiwadi Distt. Alwar-3010109	<table border="1"> <tr><td>Armoured XLPE insulated LT UG Cable 1.1kV Class</td><td></td></tr> <tr><td>10 Sqmm, 4 Core</td><td>29.12.2021</td></tr> <tr><td>16 Sqmm, 2 Core</td><td>17.08.2022</td></tr> <tr><td>16 Sqmm, 4 Core</td><td>28.12.2021</td></tr> <tr><td>25 Sqmm, 4 Core</td><td>03.01.2022</td></tr> <tr><td>35 Sqmm, 3.5 Core</td><td></td></tr> <tr><td>50 Sqmm, 3.5 Core</td><td></td></tr> <tr><td>70 Sqmm, 3.5 Core</td><td></td></tr> <tr><td>95 Sqmm, 3.5 Core</td><td>17.08.2022</td></tr> <tr><td>150 Sqmm, 3.5 Core</td><td></td></tr> <tr><td>185 Sqmm, 3.5 Core</td><td></td></tr> <tr><td>240 Sqmm, 3.5 Core</td><td></td></tr> <tr><td>300 Sqmm, 3.5 Core</td><td>22.06.2022</td></tr> <tr><td>400 Sqmm, 3.5 Core</td><td>18.07.2022</td></tr> <tr><td>11kV, 3 Core, HTUG Cable for insulations High quality clean XLPE compound shall be used (Free from microvoids, Moisture content, ambers and contaminations) with pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2) Armouring wires dia in average ± 2.5% and resistivity 14.0 Ohms/KM (Max) as per IS-3975</td><td></td></tr> <tr><td>3 x 95 Sqmm, (54 GI Wires - 2.5mm Dia)</td><td>29.06.2025 (Subject to revalidation every year)</td></tr> <tr><td>3 x 240 Sqmm, (55 GI Wires - 3.15mm Dia)</td><td></td></tr> <tr><td>3x400sq mm (51 GI wires - 4mm Dia)</td><td>10.07.2022</td></tr> </table>	Armoured XLPE insulated LT UG Cable 1.1kV Class		10 Sqmm, 4 Core	29.12.2021	16 Sqmm, 2 Core	17.08.2022	16 Sqmm, 4 Core	28.12.2021	25 Sqmm, 4 Core	03.01.2022	35 Sqmm, 3.5 Core		50 Sqmm, 3.5 Core		70 Sqmm, 3.5 Core		95 Sqmm, 3.5 Core	17.08.2022	150 Sqmm, 3.5 Core		185 Sqmm, 3.5 Core		240 Sqmm, 3.5 Core		300 Sqmm, 3.5 Core	22.06.2022	400 Sqmm, 3.5 Core	18.07.2022	11kV, 3 Core, HTUG Cable for insulations High quality clean XLPE compound shall be used (Free from microvoids, Moisture content, ambers and contaminations) with pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2) Armouring wires dia in average ± 2.5% and resistivity 14.0 Ohms/KM (Max) as per IS-3975		3 x 95 Sqmm, (54 GI Wires - 2.5mm Dia)	29.06.2025 (Subject to revalidation every year)	3 x 240 Sqmm, (55 GI Wires - 3.15mm Dia)		3x400sq mm (51 GI wires - 4mm Dia)	10.07.2022	GM(QS&S)/DGM-3/BC-11/17-18/CYS-137 dtd:20.09.2017	GM(QS&S)/DGM-3/BC-11/20-21/CYS-214 dtd:08.01.2021 29.12.2021 17.08.2022 28.12.2021 03.01.2022 17.08.2022 22.06.2022 18.07.2022 07.01.2023 GM(QS&S)/DGM-3/BC-11/20-21/CYS-214 dtd:08.01.2021 10.07.2022 GM(QS&S)/DGM-3/BC-11/20-21/CYS-214 dtd:08.01.2021
Armoured XLPE insulated LT UG Cable 1.1kV Class																																								
10 Sqmm, 4 Core	29.12.2021																																							
16 Sqmm, 2 Core	17.08.2022																																							
16 Sqmm, 4 Core	28.12.2021																																							
25 Sqmm, 4 Core	03.01.2022																																							
35 Sqmm, 3.5 Core																																								
50 Sqmm, 3.5 Core																																								
70 Sqmm, 3.5 Core																																								
95 Sqmm, 3.5 Core	17.08.2022																																							
150 Sqmm, 3.5 Core																																								
185 Sqmm, 3.5 Core																																								
240 Sqmm, 3.5 Core																																								
300 Sqmm, 3.5 Core	22.06.2022																																							
400 Sqmm, 3.5 Core	18.07.2022																																							
11kV, 3 Core, HTUG Cable for insulations High quality clean XLPE compound shall be used (Free from microvoids, Moisture content, ambers and contaminations) with pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2) Armouring wires dia in average ± 2.5% and resistivity 14.0 Ohms/KM (Max) as per IS-3975																																								
3 x 95 Sqmm, (54 GI Wires - 2.5mm Dia)	29.06.2025 (Subject to revalidation every year)																																							
3 x 240 Sqmm, (55 GI Wires - 3.15mm Dia)																																								
3x400sq mm (51 GI wires - 4mm Dia)	10.07.2022																																							
13	M/s Finolex Cables Limited, 26/27, Mumbai Pune Road, Pimpri, Pune-411 018	<table border="1"> <tr><td>11kV, 3Core, HT XLPE UG Cable with pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2)</td><td></td></tr> <tr><td>3CX95sq.mm (54 GI Wires - 2.5mm Dia)</td><td>27.11.2023 (Subject to revalidation every year)</td></tr> </table>	11kV, 3Core, HT XLPE UG Cable with pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2)		3CX95sq.mm (54 GI Wires - 2.5mm Dia)	27.11.2023 (Subject to revalidation every year)	GM(QS&S)/DGM-3/BC-11/19-20/CYS-188 dtd:01.01.2020																																	
11kV, 3Core, HT XLPE UG Cable with pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2)																																								
3CX95sq.mm (54 GI Wires - 2.5mm Dia)	27.11.2023 (Subject to revalidation every year)																																							
14	M/s KEC International Limited(Cables Division), Survey No:803, Village: Godampura Taluka - Salvi Dist, Vadodara - 391520.	<table border="1"> <tr><td>11kV, 3 Core, HTUG Cable fwith pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2)</td><td></td></tr> <tr><td>3Cx95 Sqmm, (54 GI Wires - 2.5mm Dia)</td><td>03.01.2022</td></tr> <tr><td>3Cx240 Sqmm, (55 GI Wires - 3.15mm Dia)</td><td></td></tr> <tr><td>11kV 3 x 400 sq.mm(51 GI Wires - 4mm Dia)</td><td></td></tr> <tr><td>1.1kV 4 x 240 sq.mm XLPE, LT UG Cable 1.1kV class</td><td>28.03.2021</td></tr> <tr><td>16 Sqmm, 4 Core, 1.1kV LT XLPE UG cable (11 GI Strips - 4.0 x 0.8mm)</td><td></td></tr> <tr><td>25 Sqmm, 3.5 Core, 1.1kV LT XLPE UG cable (12 GI Strips - 4.0 x 0.8mm)</td><td></td></tr> <tr><td>25 Sqmm, 4 Core, 1.1kV LT XLPE UG cable (13 GI Strips - 4.0 x 0.8mm)</td><td></td></tr> <tr><td>50 Sqmm, 3.5 Core, 1.1kV LT XLPE UG cable (16 GI Strips - 4.0 x 0.8mm)</td><td>08.01.2022</td></tr> <tr><td>50 Sqmm, 4 Core, 1.1kV LT XLPE UG cable (17 GI Strips - 4.0 x 0.8mm)</td><td></td></tr> <tr><td>95 Sqmm, 3.5 Core, 1.1kV LT XLPE UG cable (21 GI Strips - 4.0 x 0.8mm)</td><td></td></tr> <tr><td>240 Sqmm, 3.5 Core, 1.1kV LT XLPE UG cable (30 GI Strips - 4.0 x 0.8mm)</td><td></td></tr> </table>	11kV, 3 Core, HTUG Cable fwith pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2)		3Cx95 Sqmm, (54 GI Wires - 2.5mm Dia)	03.01.2022	3Cx240 Sqmm, (55 GI Wires - 3.15mm Dia)		11kV 3 x 400 sq.mm(51 GI Wires - 4mm Dia)		1.1kV 4 x 240 sq.mm XLPE, LT UG Cable 1.1kV class	28.03.2021	16 Sqmm, 4 Core, 1.1kV LT XLPE UG cable (11 GI Strips - 4.0 x 0.8mm)		25 Sqmm, 3.5 Core, 1.1kV LT XLPE UG cable (12 GI Strips - 4.0 x 0.8mm)		25 Sqmm, 4 Core, 1.1kV LT XLPE UG cable (13 GI Strips - 4.0 x 0.8mm)		50 Sqmm, 3.5 Core, 1.1kV LT XLPE UG cable (16 GI Strips - 4.0 x 0.8mm)	08.01.2022	50 Sqmm, 4 Core, 1.1kV LT XLPE UG cable (17 GI Strips - 4.0 x 0.8mm)		95 Sqmm, 3.5 Core, 1.1kV LT XLPE UG cable (21 GI Strips - 4.0 x 0.8mm)		240 Sqmm, 3.5 Core, 1.1kV LT XLPE UG cable (30 GI Strips - 4.0 x 0.8mm)		GM(QS&S)/DGM-4/BC-11/18-19/CYS-27 dtd:28.05.2017	03.01.2022 GM(QS&S)/DGM-3/BC-11/20-21/CYS-218 dtd:11.01.2021 28.03.2021 GM(QS&S)/DGM-3/BC-11/20-21/CYS-218 dtd:11.01.2021												
11kV, 3 Core, HTUG Cable fwith pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2)																																								
3Cx95 Sqmm, (54 GI Wires - 2.5mm Dia)	03.01.2022																																							
3Cx240 Sqmm, (55 GI Wires - 3.15mm Dia)																																								
11kV 3 x 400 sq.mm(51 GI Wires - 4mm Dia)																																								
1.1kV 4 x 240 sq.mm XLPE, LT UG Cable 1.1kV class	28.03.2021																																							
16 Sqmm, 4 Core, 1.1kV LT XLPE UG cable (11 GI Strips - 4.0 x 0.8mm)																																								
25 Sqmm, 3.5 Core, 1.1kV LT XLPE UG cable (12 GI Strips - 4.0 x 0.8mm)																																								
25 Sqmm, 4 Core, 1.1kV LT XLPE UG cable (13 GI Strips - 4.0 x 0.8mm)																																								
50 Sqmm, 3.5 Core, 1.1kV LT XLPE UG cable (16 GI Strips - 4.0 x 0.8mm)	08.01.2022																																							
50 Sqmm, 4 Core, 1.1kV LT XLPE UG cable (17 GI Strips - 4.0 x 0.8mm)																																								
95 Sqmm, 3.5 Core, 1.1kV LT XLPE UG cable (21 GI Strips - 4.0 x 0.8mm)																																								
240 Sqmm, 3.5 Core, 1.1kV LT XLPE UG cable (30 GI Strips - 4.0 x 0.8mm)																																								
		<table border="1"> <tr><td>1.1kV LT, XLPE PVC extruded Inner Sheath armoured LT UG cable as per IS-1554 (Part-1) or IS-7098 Part-1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975</td><td></td></tr> <tr><td>10Sqmm, 4Core,(10 GI Strips- 4.0 x 0.8mm)</td><td></td></tr> </table>	1.1kV LT, XLPE PVC extruded Inner Sheath armoured LT UG cable as per IS-1554 (Part-1) or IS-7098 Part-1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975		10Sqmm, 4Core,(10 GI Strips- 4.0 x 0.8mm)																																			
1.1kV LT, XLPE PVC extruded Inner Sheath armoured LT UG cable as per IS-1554 (Part-1) or IS-7098 Part-1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975																																								
10Sqmm, 4Core,(10 GI Strips- 4.0 x 0.8mm)																																								

15	M/s Fortune Art Wires & Cables Pvt Ltd., Plot No: 215/A, phase – II, IDA, Chelapally, Hyderabad – 500051. Ph No: 8374098833. E-mail: smbasha@facables.com	16 Sqmm, 4 Core,(11 GI Strips - 4.0 x 0.8mm)	21.11.2024	GM(Q,S&S)DGM -3)/ BC-11/19-20/cys-205 dated:04.02.2020 (Subject revalidation every year)	
		25 Sqmm, 3.5 Core,(12 GI Strips - 4.0 x 0.8mm)			
		25 Sqmm, 4 Core,(13 GI Strips - 4.0 x 0.8mm)			
		35 Sqmm, 3.5Core,(14 GI Strips - 4.0 x 0.8mm)			
		50 Sqmm,3.5 Core, (16 GI Strips - 4.0 x 0.8mm)			
		70 Sqmm, 3.5 Core,(18 GI Strips - 4.0 x 0.8mm)			
		95 Sqmm, 3.5 Core,(21 GI Strips - 4.0 x 0.8mm)			
		120 Sqmm, 3.5Core,(23 GI Strips- 4.0 x 0.8mm)			
		150 Sqmm, 3.5 Core, (25 GI Strips-4.0 x 0.8mm)			
		185 Sqmm, 3.5Core,(28 GI Strips - 4.0 x 0.8mm)			
		300 Sqmm, 3.5 Core,(32 GI Strips- 4.0 x 0.8mm)			
		400 Sqmm, 3.5 Core,(39 GI Strips- 4.0 x 0.8mm)			
		1.1kV Class HR (Heat Resistant) PVC Insulated, Copper Control cables as per IS-554 (Part-1)			
10Core, 2.5 Sqmm, 28 No GI Wires (1.6mm)					
16	M/s Laser power & Infra Pvt Ltd, 4A, Pollock street, 3rd floor, Kolkata-700001 (Unit-1: Biprannapara, Jalan complex, P.S. Domjur, Hawrah-711411, Unit II: NH- 6, Poly Park, Dhulagori, Howrah-711302)	11kV HT XLPE UG cable (Round & Flat Armour)		GM(Q,S&S)DGM -3)/ BC-11/19-20/cys-205 dated:04.02.2020 (Subject revalidation every year)	13.03.2021 GM(Q,S&S)DGM -3)/ BC- 11/19-20/cys-225 dated:13.03.2020
		3C x 400sq mm	09.08.2022		
		3C x 240sq mm	22.11.2021		
		1.1kV LT XLPE UG Cable			
		3.5C x 240sq mm	14.09.2022		
		3.5C x 95sq mm	16.11.2021		
		4C x 16sq mm	14.09.2022		
		4C x 10sq mm			
		4C x 50sq mm			
		4C x 6sq mm			
4C x 25sq mm					
17	M/s LKB Engineering Private Limited., Registered Office: 204&205, Shivam House, Karpura, Commercial Complex, New Delhi-15 (Factory Unit: E-418 to E-421, Industrial Area Chopanki, Biwadi Distt. Alwar(Rajasthan)-301019.	1.1kV LT, XLPE PVC extruded Inner Sheath armoured LT UG cable as per IS-1554 (Part-1) or IS-7098 Part-1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975	05.07.2024	GM(Q,S&S)DGM -3)/ BC-11/20-21/cys-49 dated:19.06.2020 (Subject revalidation every year)	
		300Sq mm, 3.5Core (32GI Strips - 4.0 x 0.8mm)			
18	M/s SPM Power & Telecom Pvt Ltd., Regd Office : Plot NoA-28/1/12, Road No.15, I.D.A., Nacharam, Hydrabad – 500076 (Factory Unit: Sy No.245 & 246, Ramanthapur Village, Chegunta, Yelsurthy Mandal) Contact No: 91 40 29702652, 29702657 E-mail: info@spmables.in	6.35/11kV 3x95sq mm & 3x240sq mm HT XLPE UG cable	18.09.2025	GM(Q,S&S)DGM -3)/ BC-11/20-21/cys-135 dated:08.10.2020 (Subject revalidation every year)	
19	M/s Apar Industries limited, (Unit Uniflex Cables) No: 301/306, Panorama complex R.C Dutt road, Vadodara 39000 (Factory Unit: Plot no: 158/163, GIDC, Umergaon Dist, Valsad, Gujarat - 396171) (Ph.No91(080)23443932/9986049678 email-kr.sanjay@apar.com	6.35/11kV HT XLPE UG Cable	30.07.2025	GM(Q,S&S)DGM - 3)/BC-11/20-21/cys- 140 dated:15.10.2020 (subject to revalidation every year)	
		3x95 sq.mm, 3x240sq mm & 3x400sq mm, 11kV HT XLPE U.G. Cable			
20	M/s Prime Cable Industries Pvt Ltd., E- 894, 895, D.S.I.I.D.C. Industrial Area, Narela, Delhi – 110040 Ph No:011-27318598, E-mail:info@primecabindia.com, primecableindustries@gmail.com	1.1kV XLPE or Heat resistance PVC Insulated PVC extruded inner sheath Armoured LT UG Cable	11.06.2025	GM(Q,S&S)DGM -3)/ BC-11/20-21/cys-142 dated:17.10.2020 (Subject revalidation every year)	
		2C x 10 sqmm			
		4C x 10sq mm			
		4C x 16sq mm			
		4C x 25sq mm			
		4C x 50sq mm			
		4C x 95sq mm			
		3.5C x 50sq mm			
		3.5C x 70 sq mm			
		3.5C x 95 sq mm			
		3.5C x 120 sq mm			
		3.5C x 150sq mm			
		3.5C x 240sq mm			
		1.1kV class Heat Resistant or PVC Insulated and Unsheathed Aluminium Wires Multistrand Single Core Lead Wires'	30.11.2025		
		1C x 16 sqmm			
		1C x 25 sqmm			
		1C x 35 sqmm			
		1C x 50 sqmm			
		1C x 70 sqmm			
		1C x 95 sqmm			
1C x 120 sqmm					
1C x 150 sqmm					
1C x 185 sqmm					
1C x 240 sqmm					
21	M/s Shanti Insulated Cable Co., C/o. Arihant Cable Corporation, No:B-24/1, JHILMIL Industrial Area, Shahdara, Delhi - 110095 (Ph No:9311177331)	2C x 4sq mm to 3.5C x 400sq mm PVC Insulated and sheathed armour cable with Aluminium conductor	12.03.2023	GM(Q,S&S)DGM -4)/ BC-11/18-19/cys-06 dated:13.04.2018 (Subject revalidation every year)	12.03.2023 GM(Q,S&S)DGM -3)/ BC- 11/20-21/cys-201 dated:23.12.2020
		2Cx 0.5sq mm to 4C x 185sq mm PVC insulated and sheathed flexible cable of copper conductor			

22	M/s Keli Flex Cables, C/o. Arihant Cable Corporation, No: A-34, 2nd Floor, Jhimil, Indl. Area, Shadara, Delhi - 110095.	1C x 0.5sq mm to 1C x 400sq mm PVC Insulated sheathed flexible cable with copper conductor 2C x 0.5sq mm to 24C x 0.5sq mm PVC Insulated Unsheathed flexible cable with copper conductor	23.01.2023	GM(Q,S&S)DGM -4)/ BC-11/18-19/cys-07 dated:13.04.2018 (Subject revalidation every year)	23.01.2023 GM(Q,S&S)DGM -3)/ BC-11/20-21/cys-183 dated:09.12.2020
23	M/s SPM Power & Telecom Pvt Ltd., Regd Office: Plot No: A-28/1/12, Road No.15, I.D.A., Nacharam, Hyderabad - 500076 (Factory Unit 1: Sy No.245 & 246, Ramanthapur Village, Chegunta, Yeldurthy Mandal-502255, Medan Factory Unit 2: Plot No: 136/2, phase II, I.D.A., Cherlapally, Hyderabad - 500051) Contact No: 91 40 29702652, 29702657 E-mail: info@spmcables.in	11kV, 3Core, HT XLPE UG Cable with pressure extruded, inner sheath ROUND WIRE ARMoured as per IS-7098 (Part-2) 3CX95sq.mm (54 GI Wires - 2.5mm Dia) 3CX240sq.mm (55 GI Wires - 3.15mm Dia) 3C x 400 Sqmm (51 GI Wires - 4mm Dia)	10.12.2021	GM(Q,S&S)DGM -3)/ BC-11/20-21/cys-186 dated:14.12.2020	
24	M/s Vardhman Cables & Conductors., 129/C, Shinoli(B.K), Taluk:Chandgad, Dist :Kolhapur, Maharashtra - 416507 Contact No: (02320) 236444/ 236482 E-mail: bharatcab@gmail.com	1.1kV LT, XLPE, PVC extruded Inner Sheath armoured UG LT cable as IS-7098-part 1, Armouring strip thickness in average ± 5% and resistivity 14 Ohms/Kms (Max) as per IS 3975 10 Sqmm, 4 Core, (10 GI Strips - 4.0 x 0.8mm) 16 Sqmm, 4 Core, (11 GI Strips - 4.0 x 0.8mm) 95 Sqmm, 3.5 Core, (21 GI Strips - 4.0 x 0.8mm) 120 Sqmm, 3.5 Core, (23 GI Strips - 4.0 x 0.8mm) 185 Sqmm, 3.5 Core, (28 GI Strips - 4.0 x 0.8mm) 240 Sqmm, 3.5 Core, (30 GI Strips - 4.0 x 0.8mm) 300 Sqmm, 3.5 Core, (32 GI Strips - 4.0 x 0.8mm)	29.12.2021	GM(QS&S)DGM(EL.)-3) /BC-11/ 20-21/Cys-205 dated:29.12.2020	
25	M/s SBEE Cables (India), Ltd, No:29, J.C.W Industrial estate Kanakapura Road, B'lore-64 (Ph No: 080-26662172, 26860166)	1.1kV Class HR (Heat Resistant) PVC insulated & Unsheathed Aluminium Wires Multistrand Single core Lead wires as per IS - 694: 2010 PVC Wire - 16Sqmm Al Wt: 4.2 Kgs, Total Wt: 7.5Kgs for 100Mtrs PVC Wire - 25Sqmm Al Wt: 6.7 Kgs, Total Wt: 11.5Kgs for 100Mtrs PVC Wire - 50Sqmm Al Wt: 13.8 Kgs, Total Wt: 22 Kgs for 100Mtrs PVC Wire - 95Sqmm Al Wt: 25 Kgs, Total Wt: 36Kgs for 100Mtrs PVC Wire - 120Sqmm Al Wt: 32 Kgs, Total Wt: 45.5Kgs for 100Mtrs PVC Wire - 185Sqmm Al Wt: 49 Kgs, Total Wt: 68Kgs for 100Mtrs PVC Wire - 240Sqmm Al Wt: 63.5 Kgs, Total Wt: 87Kgs for 100Mtrs 1.1kV Class HR (Heat Resistant) PVC Insulated, Copper Control cables as per IS-554 (Part-1) 2Core, 2.5Sqmm, 18 No GI Wires (1.4mm) 4Core, 2.5Sqmm, 21 No GI Wires (1.4mm) 4Core, 6Sqmm, 25 No GI Wires (1.6mm) 4 Core, 10Sqmm, 28 No GI Wires (1.6mm) 19Core, 2.5Sqmm, 36 No GI Wires (1.6mm) 1.1kV LT, Heat resistant PVC insulated, PVC extruded Inner Seath armoured UG LT cable as per IS-1554 (Part-1) or IS-7098 Part-1, 50Sqmm, 3.5 Core, (16 GI Strips - 4.0 x 0.8mm) 16Sqmm, 4Core, (11 GI Strips - 4.0 x 0.8mm) 25Sqmm, 4Core, (13 GI Strips - 4.0 x 0.8mm) 1.1kV LT, XLPE Copper/Aluminium UG cable IS-7098 Part - 1	22.01.2026	GM(QS&S)/DGM-3/BC-11/20-21/CYS-229 dtd:22.01.2021	GM(QS&S)/DGM-3/BC-11/20-21/CYS-229 dtd:22.01.2021

50Sqmm, 3.5 Core, (16 GI Strips - 4.0 x 0.8mm)□	22.01.2026	GM(QS&S)/DGM-3/BC-11/20-21/CYS-229 dtd:22.01.2021	
70Sqmm, 3.5 Core,(18 GI Strips - 4.0 x 0.8mm)□			
95Sqmm, 3.5 Core,(21 GI Strips - 4.0 x 0.8mm)□			
185Sqmm, 3.5 Core,(28 GI Strips - 4.0 x 0.8mm)□			
240Sqmm, 3.5 Core,(30 GI Strips - 4.0 x 0.8mm)□			
400Sqmm, 3.5 Core,(39 GI Strips - 4.0 x 0.8mm)□			
16Sqmm, 4 Core, (11 GI Strips - 4.0 x 0.8mm)□			
11kV, 3Core, HT XLPE UG Cable with pressure extruded, inner sheath ROUND WIRE ARMOURED as per IS-7098 (Part-2)	19.08.2024	GM(Q,S&S)DGM - 3/BC-11/19-20/cys-95 dated:23.08.2019 (subject to revalidation every year)	19.12.2022 GM(Q,S&S)DGM -3/BC-11/20-21/cys-193 dated:21.12.2020
(54 GI Wires - 2.5mm Dia)			
(55 GI Wires - 3.15mm Dia)			
(51 GI Wires - 4mm Dia)			